



Report No. 370

Situation Report: Confirmed COVID-19	Location: The Gambia	
Date of Report: 15 th September 2021	Investigation Start Date: 17 th March 2020 as of 18hrs.	
Prepared by: Epidemiology and Disease Control Unit, MoH, The Gambia		

I. HIGHLIGHTS

This is the 370^{th} national situation report since the confirmation of the first case of the coronavirus disease (COVID-19) in The Gambia, on the 16^{th} March 2020

- No new COVID-19-related death registered, bringing the total to 332 (Crude Case-Fatality Ratio, 3.4%)
- A total of 7 new cases were registered (**cumulative cases 9,885**)
- The test positivity rate is 2.2% (7/321) all from NPHL 304 (1 positive) and MRCG 17 (7 Positive)
 - Of the total new cases, 5 were males and 2 females, with ages ranging from 18 65 years)
 - o Fifteen (15) cases are currently on oxygen therapy
 - o For reasons of testing, 1 (14%) tested for travelling, and 6 (86%) for unspecified reasons
- Two (2) cases were newly discharged from treatment centres, while 15 got discharged at least 10 days
 from the day they tested positive but evaded institutional isolation
- No new contacts traced and monitored
 - Janssen & Janssen:
- Only 1 dose: 146,332 As of 15th September 2021, the following number of people have been vaccinated with:
 - Sinopharm:
 - Dose 1: 4,457
 - Dose 2: 3,015
 - AstraZeneca:
 - Dose 1:31,752
 - Dose 2:20,010
 - Of the total national target population (≥ 18 years) been vaccinated:
 - 10.8% are fully vaccinated (2 doses of AZ/Sinopharm or 1 dose of J&J)
 - o 11.6% received at least one COVID-19 vaccine dose (AZ or J&J or Sinopharm)
- Since the start of RDT for COVID-19 at The Banjul International Airport, **21,575** rapid diagnostic tests (RDT) have been conducted with **8** positives who were confirmed and treated

COVID-19 SITUATION IN NUMBERS

Globally

Recoveries: 204,351,427

- Deaths: 4,680,938

Senegal

Confirmed Cases: 73,562

Recoveries: 68,421

→ Deaths: 1,841

The Gambia

Confirmed Cases: 9,885

Active Cases: 26

Recoveries: 9,527

→ Deaths: 332

II. EPIDEMIOLOGICAL DESCRIPTION




Fig 1:Geographic Distribution of COVID-19 cases per 100,000 Pop. by Region since the start of Pandemic to 31st August 2021(Number Above) and the month of August 2021(Number below) in The Gamiba

- Western 1 Health Region has a disproportionately higher number of cases than all the health regions (See Fig. 1)
- Below are the age-sex distribution and the Epi-curve of confirmed cases by reported date, respectively (See Fig. 2 and 3




Fig 2: Age-Sex Distribution of Confirmed COVID-19 Cases, The Gambia, 2021

^{*} This excludes the 27 confirmed cases whose demographic information are not yet available About 59% of the confirmed cases are males (*See Fig. 2*) About 58.6% of the confirmed cases are 40 years below (*See Fig. 2*)




Fig. 3: Epidemic Curve of Laboratory-Confirmed Cases Reported daily, COVID-19 Pandemic, The Gambia, 16th March 2020-10th August 2021*.

A considerable amount of time elapsed between date of reporting and the date of laboratory confirmation of some cases

• Three main waves of infection occurred – the pre airport closure wave, the importation from Senegal wave and the intermittent airport re-opening and loosening of restrictions wave (See Fig. 3)

Status	New	Cumulative
No. of active cases in institutional isolation		19
No. of COVID-19 patients on oxygen support		16
No. of patients recovered and discharged	26	
In Hotel Quarantine	0	19
Completed Hotel Quarantine	0	5,240
Completed follow-up (asymptomatic people with travel history to affected countries) *	0	310
No. of Contact(s) Identified**	0	
No. of Contacts being monitored	0	
No. of Contacts who completed 14-day follow-up	0	17,119
No. of Contacts lost to follow-up	0	58
Total Tests conducted (Repeat Test (s))***	321(0)***	107,118
Positive test result (Repeat Test (s))	7(0)	9,885
Negative test result (Repeat Test (s))***	314(0)***	95,982
Inconclusive test result (Repeat Test (s))***	0(0)***	

Table 2: Summary of New and Cumulative Public Health Response Outputs, COVID-19 Pandemic, The Gambia, 2021

^{*} Follow-up completed prior to the 17th March (when the first confirmed case was reported)

^{**} Includes both low-risk and high-risk contacts and not mutually exclusive with number quarantined (as some have been quarantined) * * * Includes repeat tests in bracket

^{3 |} Page

^{*}as of 16th September 2021 @ 00:11. Data from WHO novel coronavirus dashboard and European CDC situation report

III. MAJOR RESPONSE ACTIVITIES

Component	Interventions
Coordination	Coordination meetings held at both central and regional levels
Surveillance/ Laboratory	 A total of 321 new laboratory test results received 17 from MRCG and 304 from NPHL) Of these, no test result returned inconclusive or indeterminate, 7 new samples tested positive
Case Management / Psychosocial Support & Research / IPC	 No new COVID-19 related death recorded Two (2) patients were newly discharged from treatment centres No new contacts were traced and monitored Fifteen (15) COVID-19 patients are currently on oxygen therapy

Table 3: Major response activities undertaken newly, COVID-19 Outbreak, The Gambia, 2021

IV. GAPS/CHALLENGES:

- CBS activities not translating to increase in the number of daily tests being conducted
- Support for innovative countrywide risk communication strategies and activities on COVID-19 is suboptimal
- Dwindling compliance with mask-wearing requirements
- Low turn-out at COVID-19 sample collection sites resulting in fewer number of daily tests
- Denial, misinformation, stigma and discrimination against COVID-19 affected families.
- Low COVID 19 Vaccination coverage rate

V. NEXT STEPS/RECOMMENDATIONS:

- CBS activities need to be synchronized with MRC's ILI surveillance to spur up testing rates in the hinterland.
- Intensify risk communication and community engagement activities, on COVID-19 at community level, including at LUMOS, in a bid to curtail community transmission and dispel misinformation and denial and vaccine hesitancy
- Strengthen community-based surveillance to increase awareness and testing rates
- Thorough enforcement of the mandatory mask-wearing regulation
- IPC measures should be strictly adhered to in all public and private health healthcare facilities
- Provision of adequate stocks of PPEs to all health facilities
- Health workers to observe all COVID-19 preventive measures always including the donning of appropriate PPEs
- Intensify activities geared to increase COVID-19 vaccination coverage at all levels

For comments or questions, please contact: Sana M. Sambou

Public Health Emergency Operations Center Epidemiology and Disease Control Unit, The Gambia

Email: sanamsambou@hotmail.com Phone: +220 3516320/2422949

PARTNERS









































































