





Report No. 367

	Situation Report: Confirmed COVID-19		Location: The Gambia	
	Date of Report: 8 th – 9 th September 2021		Investigation Start Date: 17 th March 2020 as of 18hrs.	
	Prepared by:	pared by: Epidemiology and Disease Control Unit, MoH, The Gambia		

I. HIGHLIGHTS

This is the 367^{th} national situation report since the confirmation of the first case of the coronavirus disease (COVID-19) in The Gambia, on the 16^{th} March 2020

- No new COVID-19-related deaths registered, bringing the total to 328 (Crude Case-Fatality Ratio, 3.3%)
- A total of 28 new cases were registered (cumulative cases 9,848)
 - o Thirteen (13) & 15 cases were reported on the 8th & 9th respectively
- The test positivity rate is 4.1% (28/677) all from NPH 636 (23 positive) and MRCG 41(5 Positive)
 - Of the total new cases, 17 were males and 10 females, with a median age of 40 (range of 2 85 years)
 - O Nine (9) cases are currently on oxygen therapy
 - For reasons of testing, 18 (64.3%) tested for travelling, 2 (7.1%) for suspicion of COVID-19, 1 (3.6%) due to determine COVID-19 related deaths, 1 (3.6%) to know COVID-19 status and 6 (21.4%) for unspecified reasons
- Seven (7) cases were newly discharged from treatment centres, while 16 got discharged at least 10 days
 from the day they tested positive but evaded institutional isolation
- No new contacts traced and monitored
 - Janssen & Janssen:
- Only 1 dose: 144,953 As of 9th September 2021, the following number of people have been vaccinated with:
 - Sinopharm:
 - Dose 1: 4,457
 - Dose 2: 2,807
 - o AstraZeneca:
 - Dose 1:31,649
 - Dose 2:19,626
- Of the total national target population (≥ 18 years) been vaccinated:
 - 10.7% are fully vaccinated (2 doses of AZ/Sinopharm or 1 dose of J&J)
 - 11.6% received at least one COVID-19 vaccine dose (AZ or J&J or Sinopharm)
- Since the start of RDT for COVID-19 at The Banjul International Airport, **20,722** rapid diagnostic tests (RDT) have been conducted with **8** positives who were confirmed and treated

COVID-19 SITUATION IN NUMBERS

Globally

r Confirmed Cases: 224,766,870

Recoveries: 201,346,117

Deaths: 4,633,142

Senegal

Confirmed Cases: 73,391

Recoveries: 66,015

→ Deaths: 1,826

The Gambia

Confirmed Cases: 9,848

Active Cases: 40

Recoveries: 9,457

→ Deaths: 328

II. EPIDEMIOLOGICAL DESCRIPTION




Fig 1:Geographic Distribution of COVID-19 cases per 100,000 Pop. by Region since the start of Pandemic to 31st August 2021(Number Above) and the month of August 2021(Number below) in The Gamiba

- Western 1 Health Region has a disproportionately higher number of cases than all the health regions (See Fig. 1)
- Below are the age-sex distribution and the Epi-curve of confirmed cases by reported date, respectively (See Fig. 2 and 3




Fig 2: Age-Sex Distribution of Confirmed COVID-19 Cases, The Gambia, 2021

^{*} This excludes the 27 confirmed cases whose demographic information are not yet available About 59% of the confirmed cases are males (*See Fig. 2*)
About 58.6% of the confirmed cases are 40 years below (*See Fig. 2*)




Fig. 3: Epidemic Curve of Laboratory-Confirmed Cases Reported daily, COVID-19 Pandemic, The Gambia, 16th March 2020-10th August 2021*.

A considerable amount of time elapsed between date of reporting and the date of laboratory confirmation of some cases

• Three main waves of infection occurred – the pre airport closure wave, the importation from Senegal wave and the intermittent airport re-opening and loosening of restrictions wave (See Fig. 3)

Status	New	Cumulative
No. of active cases in institutional isolation		17
No. of COVID-19 patients on oxygen support		9
No. of patients recovered and discharged	23	
In Hotel Quarantine	0	19
Completed Hotel Quarantine	0	5,240
Completed follow-up (asymptomatic people with travel history to affected countries) *	0	310
No. of Contact(s) Identified**	0	
No. of Contacts being monitored	0	
No. of Contacts who completed 14-day follow-up	0	17,119
No. of Contacts lost to follow-up	0	58
Total Tests conducted (Repeat Test (s))***	677(0)***	105,026
Positive test result (Repeat Test (s))	28(0)	9,848
Negative test result (Repeat Test (s))***	647(0)***	93,928
Inconclusive test result (Repeat Test (s))***	2(0)***	

Table 2: Summary of New and Cumulative Public Health Response Outputs, COVID-19 Pandemic, The Gambia, 2021

III. MAJOR RESPONSE ACTIVITIES

^{*} Follow-up completed prior to the 17th March (when the first confirmed case was reported)

^{**} Includes both low-risk and high-risk contacts and not mutually exclusive with number quarantined (as some have been quarantined) * * * Includes repeat tests in bracket

Component		Interventions
Coordination	•	Coordination meetings held at both central and regional levels
Surveillance/ Laboratory	•	A total of 677 new laboratory test results received 41 from MRCG and 636 from NPHL) Of these, 2 test result returned inconclusive or indeterminate, 28 new samples tested positive
Case Management / Psychosocial Support & Research / IPC	•	No new COVID-19 related death recorded Seven (7) patients were newly discharged from treatment centres No new contacts were traced and monitored Nine (9) COVID-19 patients are currently on oxygen therapy

Table 3: Major response activities undertaken newly, COVID-19 Outbreak, The Gambia, 2021

IV. GAPS/CHALLENGES:

- CBS activities not translating to increase in the number of daily tests being conducted
- Support for innovative countrywide risk communication strategies and activities on COVID-19 is suboptimal
- Dwindling compliance with mask-wearing requirements
- Low turn-out at COVID-19 sample collection sites resulting in fewer number of daily tests
- Denial, misinformation, stigma and discrimination against COVID-19 affected families.
- Low COVID 19 Vaccination coverage rate

V. NEXT STEPS/RECOMMENDATIONS:

- CBS activities need to be synchronized with MRC's ILI surveillance to spur up testing rates in the hinterland.
- Intensify risk communication and community engagement activities, on COVID-19 at community level, including at LUMOS, in a bid to curtail community transmission and dispel misinformation and denial and vaccine hesitancy
- Strengthen community-based surveillance to increase awareness and testing rates
- Thorough enforcement of the mandatory mask-wearing regulation
- IPC measures should be strictly adhered to in all public and private health healthcare facilities
- Provision of adequate stocks of PPEs to all health facilities
- Health workers to observe all COVID-19 preventive measures always including the donning of appropriate PPEs
- Intensify activities geared to increase COVID-19 vaccination coverage at all levels

For comments or questions, please contact: Sana M. Sambou

Public Health Emergency Operations Center Epidemiology and Disease Control Unit, The Gambia

Email: sanamsambou@hotmail.com Phone: +220 3516320/2422949

PARTNERS









































































