

SQLSTATE[HY000] [2002] Only one usage of each socket address (protocol/network address/port) is normally permitted. (SQL: select \* from `c\_m\_logos` where `status` = 1 and `moderator\_status` = 1 and `approval\_status` = 1 and `c\_m\_logos`.`deleted\_at` is null order by `id` desc limit 1)

[Previous exceptions](#)

Application frames  
(4)

All frames (62)

61 Illuminate\Database\QueryException

...\vendor\laravel\framework\src\Illuminate\Database\Connection.php:664

60 App\Http\Controllers\HomeController \_\_construct

[internal]:0

59 PDOException

...\vendor\laravel\framework\src\Illuminate\Database\Connectors\Connector.php:70

58 PDO \_\_construct

...\vendor\laravel\framework\src\Illuminate\Database\Connectors\Connector.php:70

57 Illuminate\Database\Connectors\Connector createPdoConnection

...\vendor\laravel\framework\src\Illuminate\Database\Connectors\Connector.php:46

56 Illuminate\Database\Connectors\Connector createConnection

...\vendor\laravel\framework\src\Illuminate\Database\Connectors\MySQLConnector.php:24

55 Illuminate\Database\Connectors\MySQLConnector connect

...\vendor\laravel\framework\src\Illuminate\Database\Connectors\ConnectionFactory.php:182

54 Illuminate\Database\Connectors\ConnectionFactory Illuminate\Database\Connectors\{closure}

...\vendor\laravel\framework\src\Illuminate\Database\Connection.php:918

53 call\_user\_func

...\vendor\laravel\framework\src\Illuminate\Database\Connection.php:918

52 Illuminate\Database\Connection getPdo

...\vendor\laravel\framework\src\Illuminate\Database\Connection.php:943

51 Illuminate\Database\Connection getReadPdo

...\vendor\laravel\framework\src\Illuminate\Database\Connection.php:399

50 Illuminate\Database\Connection getPdoForSelect

...\vendor\laravel\framework\src\Illuminate\Database\Connection.php:325

49 Illuminate\Database\Connection Illuminate\Database\{closure}

...\vendor\laravel\framework\src\Illuminate\Database\Connection.php:657

48 Illuminate\Database\Connection runQueryCallback

...\vendor\laravel\framework\src\Illuminate\Database\Connection.php:624

47 Illuminate\Database\Connection run

...\vendor\laravel\framework\src\Illuminate\Database\Connection.php:333

46 Illuminate\Database\Connection select

...\vendor\laravel\framework\src\Illuminate\Database\Query\Builder.php:2082

45 Illuminate\Database\Query\Builder runSelect

...\vendor\laravel\framework\src\Illuminate\Database\Query\Builder.php:2070

44 Illuminate\Database\Query\Builder Illuminate\Database\Query\{closure}

...\vendor\laravel\framework\src\Illuminate\Database\Query\Builder.php:2556

43 Illuminate\Database\Query\Builder onceWithColumns

...\vendor\laravel\framework\src\Illuminate\Database\Query\Builder.php:2071

42 Illuminate\Database\Query\Builder get

...\vendor\laravel\framework\src\Illuminate\Database\Eloquent\Builder.php:516

41 Illuminate\Database\Eloquent\Builder getModels

...\vendor\laravel\framework\src\Illuminate\Database\Eloquent\Builder.php:500

40 Illuminate\Database\Eloquent\Builder get

...\vendor\laravel\framework\src\Illuminate\Database\Concerns\BuildsQueries.php:77

39 Illuminate\Database\Eloquent\Builder first

...\app\Facades\CommonAppFun.php:27

38 App\Facades\CommonAppFun getPageContents

...\vendor\laravel\framework\src\Illuminate\Support\Facades\Facade.php:237

37 Illuminate\Support\Facades\Facade \_\_callStatic

...\app\Http\Controllers\HomeController.php:49

36 App\Http\Controllers\HomeController \_\_construct

[internal]:0

35 ReflectionClass newInstanceArgs

...\vendor\laravel\framework\src\Illuminate\Container\Container.php:812

34 Illuminate\Container\Container build

...\vendor\laravel\framework\src\Illuminate\Container\Container.php:658

33 Illuminate\Container\Container resolve

...\vendor\laravel\framework\src\Illuminate\Container\Container.php:609

32 Illuminate\Container\Container make

...\vendor\laravel\framework\src\Illuminate\Foundation\Application.php:735

31 Illuminate\Foundation\Application make

...\vendor\laravel\framework\src\Illuminate\Routing\Route.php:226

30 Illuminate\Routing\Route getController

...\vendor\laravel\framework\src\Illuminate\Routing\Route.php:796

29 Illuminate\Routing\Route controllerMiddleware

...\vendor\laravel\framework\src\Illuminate\Routing\Route.php:757

28 Illuminate\Routing\Route gatherMiddleware

...vendor\laravel\framework\src\Illuminate\Routing\Router.php:695

27 Illuminate\Routing\Router gatherRouteMiddleware

...vendor\laravel\framework\src\Illuminate\Routing\Router.php:675

26 Illuminate\Routing\Router runRouteWithinStack

...vendor\laravel\framework\src\Illuminate\Routing\Router.php:659

25 Illuminate\Routing\Router runRoute

...vendor\laravel\framework\src\Illuminate\Routing\Router.php:625

24 Illuminate\Routing\Router dispatchToRoute

...vendor\laravel\framework\src\Illuminate\Routing\Router.php:614

23 Illuminate\Routing\Router dispatch

...vendor\laravel\framework\src\Illuminate\Foundation\Http\Kernel.php:176

22 Illuminate\Foundation\Http\Kernel Illuminate\Foundation\Http\{closure}

...vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php:30

21 Illuminate\Routing\Pipeline Illuminate\Routing\{closure}

...app\Http\Middleware\SecureHeaders.php:18

20 App\Http\Middleware\SecureHeaders handle

...vendor\laravel\framework\src\Illuminate\Pipeline\Pipeline.php:151

19 Illuminate\Pipeline\Pipeline Illuminate\Pipeline\{closure}

...vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php:53

18 Illuminate\Routing\Pipeline Illuminate\Routing\{closure}

...vendor\fideloper\proxy\src\TrustProxies.php:57

17 Fideloper\Proxy\TrustProxies handle

...vendor\laravel\framework\src\Illuminate\Pipeline\Pipeline.php:151

16 Illuminate\Pipeline\Pipeline Illuminate\Pipeline\{closure}

...vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php:53

15 Illuminate\Routing\Pipeline Illuminate\Routing\{closure}

...vendor\laravel\framework\src\Illuminate\Foundation\Http\Middleware\TransformsRequest.php:31

14 Illuminate\Foundation\Http\Middleware\TransformsRequest handle

...vendor\laravel\framework\src\Illuminate\Pipeline\Pipeline.php:151

13 Illuminate\Pipeline\Pipeline Illuminate\Pipeline\{closure}

...vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php:53

12 Illuminate\Routing\Pipeline Illuminate\Routing\{closure}

...vendor\laravel\framework\src\Illuminate\Foundation\Http\Middleware\TransformsRequest.php:31

11 Illuminate\Foundation\Http\Middleware\TransformsRequest handle

...vendor\laravel\framework\src\Illuminate\Pipeline\Pipeline.php:151

10 Illuminate\Pipeline\Pipeline Illuminate\Pipeline\{closure}

```

10 Illuminate\Pipeline\Pipeline Illuminate\Pipeline\{closure}
...vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php:53

9 Illuminate\Routing\Pipeline Illuminate\Routing\{closure}
...vendor\laravel\framework\src\Illuminate\Foundation\Http\Middleware\ValidatePostSize.php:27

8 Illuminate\Foundation\Http\Middleware\ValidatePostSize handle
...vendor\laravel\framework\src\Illuminate\Pipeline\Pipeline.php:151

7 Illuminate\Pipeline\Pipeline Illuminate\Pipeline\{closure}
...vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php:53

6 Illuminate\Routing\Pipeline Illuminate\Routing\{closure}
...vendor\laravel\framework\src\Illuminate\Foundation\Http\Middleware\CheckForMaintenanceMode.php:62

5 Illuminate\Foundation\Http\Middleware\CheckForMaintenanceMode handle
...vendor\laravel\framework\src\Illuminate\Pipeline\Pipeline.php:151

4 Illuminate\Pipeline\Pipeline Illuminate\Pipeline\{closure}
...vendor\laravel\framework\src\Illuminate\Routing\Pipeline.php:53

3 Illuminate\Routing\Pipeline Illuminate\Routing\{closure}
...vendor\laravel\framework\src\Illuminate\Pipeline\Pipeline.php:104

2 Illuminate\Pipeline\Pipeline then
...vendor\laravel\framework\src\Illuminate\Foundation\Http\Kernel.php:151

1 Illuminate\Foundation\Http\Kernel sendRequestThroughRouter
...vendor\laravel\framework\src\Illuminate\Foundation\Http\Kernel.php:116

0 Illuminate\Foundation\Http\Kernel handle
...\public\index.php:47

```

```
C:\wamp64\www\covid19.karnataka.gov.in\vendor\laravel\framework\src\Illuminate\Database\Connection.php
```

```

* @param array $bindings
* @param Closure $callback
* @return mixed
*
* @throws \Illuminate\Database\QueryException
*/
protected function runQueryCallback($query, $bindings, Closure $callback)
{
    // To execute the statement, we'll simply call the callback, which will actually
    // run the SQL against the PDO connection. Then we can calculate the time it
    // took to execute and log the query SQL, bindings and time in our memory.
    try {
        $result = $callback($query, $bindings);
    }

    // If an exception occurs when attempting to run a query, we'll format the error
    // message to include the bindings with SQL, which will make this exception a
    // lot more helpful to the developer instead of just the database's errors.
    catch (Exception $e) {
        throw new QueryException(
            $query, $this->prepareBindings($bindings), $e
        );
    }

    return $result;
}

/**
 * Log a query in the connection's query log.
 *
 */

```

```
* @param string $query
* @param array $bindings
* @param float|null $time
* @return void
*/
public function logQuery($query, $bindings, $time = null)
{
    $this->event(new QueryExecuted($query, $bindings, $time, $this));

    if ($this->loggingQueries) {
```

#### Arguments

1. ""  
SQLSTATE[HY000] [2002] Only one usage of each socket address (protocol/network address/port) is normally permitted.\r\n(SQL: select \* from `c\_m\_logos` where `status` = 1 and `moderator\_status` = 1 and `approval\_status` = 1 and `c\_m\_logos`.`deleted\_at` is null order by `id` desc limit 1)  
""

No comments for this stack frame.

## Environment & details:

**GET Data** empty

**POST Data** empty

**Files** empty

**Cookies** empty

**Session** empty

### Server/Request Data

REDIRECT\_SCRIPT\_URL

"/english"

REDIRECT\_SCRIPT\_URI

"https://covid19.karnataka.gov.in/english"

REDIRECT\_HTTPS

"on"

REDIRECT\_SSL\_TLS\_SNI

"covid19.karnataka.gov.in"

REDIRECT\_STATUS

"200"

SCRIPT\_URL

"/english"

SCRIPT\_URI

"https://covid19.karnataka.gov.in/english"

HTTPS

"on"

SSL\_TLS\_SNI

"covid19.karnataka.gov.in"

HTTP\_USER\_AGENT

"Mozilla/5.0 (Macintosh; Intel Mac OS X) AppleWebKit/534.34 (KHTML, like Gecko) Qt/4.8.7 Safari/534.34"

HTTP\_ACCEPT

"text/html,application/xhtml+xml,application/xml;q=0.9,\*/\*;q=0.8"

HTTP\_CONNECTION

"Keep-Alive"

HTTP\_ACCEPT\_ENCODING

"gzip"

HTTP\_ACCEPT\_LANGUAGE

"en-US,\*"

HTTP\_HOST

```
"covid19.karnataka.gov.in"
PATH
"C:\Program Files (x86)\Common Files\Oracle\Java\javapath;C:\Windows\system32;C:\Windows;C:\Windows\System32\Wbem;C:\Wind
SystemRoot
"C:\Windows"
COMSPEC
"C:\Windows\system32\cmd.exe"
PATHEXT
".COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH;.MSC"
WINDIR
"C:\Windows"
SERVER_SIGNATURE
""
SERVER_SOFTWARE
"Apache/2.4.37 (Win64) OpenSSL/1.1.1a"
SERVER_NAME
"covid19.karnataka.gov.in"
SERVER_ADDR
"10.10.28.85"
SERVER_PORT
"443"
REMOTE_ADDR
"130.49.208.15"
DOCUMENT_ROOT
"C:/wamp64/www/covid19.karnataka.gov.in/public"
REQUEST_SCHEME
"https"
CONTEXT_PREFIX
""
CONTEXT_DOCUMENT_ROOT
"C:/wamp64/www/covid19.karnataka.gov.in/public"
SERVER_ADMIN
"wampserver@wampserver.invalid"
SCRIPT_FILENAME
"C:/wamp64/www/covid19.karnataka.gov.in/public/index.php"
REMOTE_PORT
"54893"
REDIRECT_URL
"/english"
GATEWAY_INTERFACE
"CGI/1.1"
SERVER_PROTOCOL
"HTTP/1.1"
REQUEST_METHOD
"GET"
QUERY_STRING
""
REQUEST_URI
"/english"
SCRIPT_NAME
"/index.php"
PHP_SELF
"/index.php"
REQUEST_TIME_FLOAT
```

REQUEST\_TIME\_FLOAT

1599397053.487

REQUEST\_TIME

1599397053

**Environment Variables** empty

**Registered Handlers**

0. Whoops\Handler\PrettyPageHandler