

Updates on COVID-19 in Republic of Korea

26 April 2021

COVID-19 vaccination status as of 0:00 today (cumulative since 26 February 2021)

	Total	City										
	iotai	Seoul	Busan	Daegu	Incheon	Gwangju	Daejeon	Ulsan	Sejong			
New (1st dose)	6,140	200	3	735	33	0	44	113	16			
New (1st dose)	367	0	0	111	0	0	0	0	0			
Total (1st)	2,266,888	355,553	138,742	95,333	113,355	76,857	61,753	41,537	11,300			
Total (2nd)	104,905	18,499	5,848	4,054	11,137	2,982	4,321	3,992	1,224			
					Province							
	Gyeonggi	Gangwon	Chung- buk	Chung- nam	Jeon- buk	Jeon- nam	Gyeong- buk	Gyeong -nam	Jeju			
New (1st dose)	2,292	13	51	461	835	3	1,302	6	33			
New (1st dose)	0	0	63	0	193	0	0	0	0			
Total (1st)	484,238	83,598	85,612	117,300	111,263	133,273	151,922	176,433	28,819			
Total (2nd)	16,722	5,422	5,961	4,576	4,857	3,841	2,933	5,456	3,080			

^{*} Figures subject to correction recording update

Adverse events following COVID-19 vaccination reported as of 0:00 today (cumulative since 26 February 2021)

		Vaccinated (cumulative)	Total	%	General ¹⁾	Anaphylaxis suspected ²⁾	Severe suspected ³⁾	Deaths
Total	New	2,371,793	82	0.57	80	_	_	2
Total		2,311,193	13,609	0.57	13,363	143	43	60
AstraZeneca	New	1 212 121	48	0.92	46	_	_	2
Astrazerieca	Total	1,313,131	12,097		11,909	117	31	40
Pfizer	New	1.050.663	34	0.14	34	-	_	-
	Total	1,058,662	1,512	0.14	1,454	26	12	20

¹⁾ Mild cases such as headache, fever, nausea, vomiting, etc.

²⁾ Anaphylactoid reaction and anaphylactic shock suspected cases reported by healthcare institutions; Anaphylactoid reaction refers to occurrence of symptoms such as shortness of breath, rashes, etc. within 2 hours of vaccination and differs from anaphylaxis

³⁾ Includes convulsion and other nervous system response and ICU admitted cases

X Based on the patient's condition at the time of initial report (general, anaphylaxis suspected, severe suspected, death)

X Cases reported as suspected cases of AEFI; causal association not yet determined; investigation for assessment of causal association to take place for deaths or anaphylaxis cases



Updates on COVID-19 in Republic of Korea

26 April 2021

Confirmed cases by gender and age group

		New cases (%)		Total cases	Incidence rate* (per 100,000)	
Total		500	(100)	119,387	(100)	230.27
Sex	Male	254	(50.80)	59,420	(49.77)	229.75
Sex	Female	246	(49.20)	59,967	(50.23)	230.78
	80 or above	16	(3.20)	5,241	(4.39)	275.95
	70-79	29	(5.80)	8,650	(7.25)	239.80
	60-69	81	(16.20)	18,361	(15.38)	289.41
	50-59	94	(18.80)	22,116	(18.52)	255.18
Age	40-49	77	(15.40)	17,654	(14.79)	210.44
	30-39	57	(11.40)	16,051	(13.44)	227.83
	20-29	91	(18.20)	17,810	(14.92)	261.67
	10-19	31	(6.20)	8,357	(7.00)	169.15
	0-9	24	(4.80)	5,147	(4.31)	124.06

Deaths and severe/critical patients by gender and age group

		New	New (%)		(%)	Case fatality	Severe/	(%)
		deaths	(70)	deaths		rate (%)	critical	(70)
Total		4	(100)	1,817	(100)	1.52	132	(100)
Sex	Male	2	(50.00)	905	(49.81)	1.52	87	(65.91)
Sex	Female	2	(50.00)	912	(50.19)	1.52	45	(34.09)
	80 or above	3	(75.00)	998	(54.93)	19.04	31	(23.48)
	70-79	1	(25.00)	521	(28.67)	6.02	40	(30.30)
	60-69	0	(0.00)	212	(11.67)	1.15	41	(31.06)
	50-59	0	(0.00)	62	(3.41)	0.28	15	(11.36)
Age	40-49	0	(0.00)	14	(0.77)	0.08	4	(3.03)
	30-39	0	(0.00)	7	(0.39)	0.04	0	(0.00)
	20-29	0	(0.00)	3	(0.17)	0.02	1	(0.76)
	10-19	0	(0.00)	0	(0.00)	0.00	0	(0.00)
	0-9	0	(0.00)	0	(0.00)	0.00	0	(0.00)

^{*} Case fatality rate (CFR) (%) = Number of deaths / Number of confirmed cases x 100 ** Figures subject to correction based on findings from epidemiological investigations

AGE DISTRIBUTION OF SEVERE/CRITICAL CASES														
	4.13.	4.14.	4.15.	4.16.	4.17.	4.18.	4.19.	4.20.	4.21.	4.22.	4.23.	4.24.	4.25.	4.26.
Total	101	100	99	111	108	102	99	109	116	125	127	136	136	132

^{*} Severe/Critical: COVID-19 patients in isolation being treated with high flow oxygen therapy, mechanical ventilator, ECMO (Extracorporeal Membrane Oxygenation), CRRT (Continuous Renal Replacement Therapy)



Updates on COVID-19 in Republic of Korea

26 April 2021

Weekly risk assessment indicators

		3.28.~4.3.	4.4.~4.10.	4.11.~4.17.	4.18.~4.24.
	Local	477.3	579.3	621.2	659.1
Daily average confirmed cases (n)	Imported	18.1	22.0	22.1	26.6
(.,	Total	495.4	601.3	643.3	685.7
Cases with chain of transmission under investigation (%)(n)		24.1(836/3,468)	24.1(1,014/4,209)	25.9(1,168/4,503)	30.3(1,456/4,800)
Percentage under mar	nagement ¹⁾	41.6	43.2	44.4	41.9
Reproduction number	(Rt)	1.07	1.12	1.10	1.02
New clusters		67(▲ 1 ²⁾)	81(▲2 ²⁾)	65(▲3 ²⁾)	34 ³⁾
Average critical/severe	patients (n)	103	107	104	116
Number of deaths (n)		19	25	29	18
Number of ICU availal	ble	616	611	611	564

¹⁾ Of the new cases, percent confirmed while under quarantine 2) Reclassified as belonging to a cluster due to epidemiological link found 3) Figure not final due to ongoing investigation 3/2 All figures subject to change upon new findings from investigation