

Menu



### Coronavirus Disease 2019 (COVID-19)

Updated October 30, 2020

The national Centers for Disease Control and Prevention (CDC) and the Mississippi State Department of Health continue to closely monitor the outbreak of respiratory illnesses caused by the novel (new) coronavirus COVID-19, and are working to limit the spread of cases nationally and in Mississippi.

Mississippi Coronavirus Hotline (7 days a week, 7 a.m.-7 p.m.):877-978-6453

### **General Information**

- ▶ COVID-19 and You: Video Q & A with State Health Officer Dr. Thomas Dobbs
- ▶ COVID-19 overview, questions and answers
- ▶ Guidance, prevention and testing
- ▶ Handouts: Basic disease prevention, handwashing and more
- ASL, Spanish and Vietnamese materials

Home isolation is mandatory if you have tested positive for COVID-19 by order of the State Health Officer. (If you are awaiting results of routine testing *not* related to exposure, you may return to work and follow the safety guidance of your employer.) If you have been in contact with someone who has COVID-19, quarantine is also important to protect others. Find out more »

# **Professionals** Guidance and more→ ▶ MSDH guidance Electronic reporting Specimens Lab dropoff ▶ CDC guidance MS-HAN Alerts **ALL HEALTHCARE Current Cases** and Statistics County and state data → ▶ Today's update County data reports State data charts Schools and LTC facilities Lab testing Recoveries **ALL STATISTICS** Guidance, Testing and Prevention Getting tested ▶ Personal protection Gatherings and events Business and community School guidelines State agencies **ALL GUIDANCE**

# COVID-19 in Mississippi

New Cases and Deaths as of October 29

### **NEW CASES**

749

### **NEW DEATHS**

18

New COVID-19 related deaths reported to MSDH as of 6 p.m. yesterday. Five deaths occurred between October 14 and October 28 in the counties below.

County	Total
Harrison	1
Itawamba	1
Jackson	1
Simpson	1
Tippah	1

13 COVID-19 related deaths occurred between July 31 and October 25, identified from death certificate reports.

County	Total
Chickasaw	1
Copiah	1
Forrest	1
Grenada	1
Hancock	1
Harrison	1
Jackson	1
Jefferson Davis	1
Marshall	1
Monroe	1
Oktibbeha	1
Sunflower	1
Yazoo	1

### LTC OUTBREAKS

131

Current outbreaks in long-term care facilities only. (See LTC facility outbreak definition.)

**About our case counts:** We currently update our case totals each day based on test results from the previous day. Outside laboratories also report positive test results to us, which are included in our totals. Repeated tests for the same individual are counted only once. County case numbers and deaths may change as investigation finds new or additional information.

# County COVID-19 Data

### Race and Ethnicity

▶ Total COVID-19 cases and deaths by county, race and ethnicity PDF Current and past data tables, updated daily

### Data Snapshots for Individual Counties

▶ Weekly COVID-19 snapshots for each Mississippi county

### High Cases and Incidence

Mississippi counties ranked by weekly cases and incidence

#### Cumulative Cases and Deaths by County

Totals of all reported COVID-19 cases for 2020, including those in long-term care (LTC) facilities.

The numbers in this table are provisional. County case numbers and deaths may change as investigation finds new or additional information. The data provided below is the most current available.

County	Total Cases	Total Deaths	Total LTC Facility  Cases	Total LTC Facility  Deaths
Adams	1106	45	64	14
Alcorn	1061	12	25	2
Amite	435	13	15	2
Attala	811	27	91	20
Benton	370	11	45	6
Bolivar	2062	79	219	30
Calhoun	638	13	25	4
Carroll	515	12	45	9
Chickasaw	875	29	47	14
Choctaw	210	6	1	0
Claiborne	542	16	43	9
Clarke	785	53	93	27
Clay	718	22	19	3
Coahoma	1270	37	96	7
Copiah	1404	37	72	8
Total	119,336	3,328	6,816	1,319

Country	Total	Total Deaths	Total LTC Facility	Total LTC Facility
County	Cases	Total Deaths	Cases	Deaths

Covington	1001	20	50	10
Covington	1001	29	59	12
De Soto	7422	80	82	16
Forrest	3141	79	176	41
Franklin	253	3	4	1
George	1033	20	36	6
Greene	482	18	40	6
Grenada	1239	40	113	21
Hancock	883	29	49	6
Harrison	5566	87	280	33
Hinds	8135	180	472	79
Holmes	1154	60	102	20
Humphreys	468	17	22	6
Issaquena	107	4	0	0
Itawamba	1198	28	87	17
Jackson	4917	90	103	8
Jasper	702	17	1	0
Jefferson	284	10	13	3
Jefferson Davis	426	13	8	1
Jones	2999	84	186	38
Kemper	335	15	41	9
Lafayette	2591	43	124	29
Lamar	2359	40	40	11
Lauderdale	2639	135	262	74
Lawrence	562	14	26	2
Leake	1178	42	42	7
Lee	3708	82	181	37
Leflore	1741	88	193	47
Lincoln	1467	59	162	35
Lowndes	1832	62	102	33
Madison	3894	94	238	45
Marion	972	44	92	14
Marshall	1518	31	56	12
Total	119,336	3,328	6,816	1,319

County	Total Cases	Total Deaths	Total LTC Facility  Cases	Total LTC Facility  Deaths
Monroe	1554	74	170	52
Montgomery	569	23	52	9
Neshoba	1894	111	130	39
Newton	884	28	40	10
Noxubee	604	17	20	4
Oktibbeha	2066	56	193	31
Panola	1734	41	60	8
Pearl River	1188	60	94	23
Perry	534	23	20	7
Pike	1412	56	98	27
Pontotoc	1528	20	18	2
Prentiss	1104	20	48	3
Quitman	424	6	0	0
Rankin	4171	86	181	23
Scott	1290	29	21	3
Sharkey	292	15	43	8
Simpson	1249	50	117	19
Smith	608	16	55	8
Stone	506	14	55	9
Sunflower	1665	50	83	14
Tallahatchie	864	26	29	7
Tate	1248	39	55	13
Tippah	962	25	61	2
Tishomingo	833	41	96	26
Tunica	539	17	15	2
Union	1264	25	46	11
Walthall	649	27	67	13
Warren	1571	56	125	26
Washington	2667	100	178	38
Wayne	1035	22	59	10
Webster	383	13	52	11
Wilkinson	343	21	20	5
Total	119,336	3,328	6,816	1,319

County	Total Cases	Total Deaths	Total LTC Facility  Cases	Total LTC Facility  Deaths
Winston	870	21	43	11
Yalobusha	570	16	72	8
Yazoo	1254	35	108	13
Total	119,336	3,328	6,816	1,319

#### **Case Classifications**

Mississippi investigates and reports both probable and confirmed cases and deaths according to the CSTE case definition.

	Confirmed	Probable	Total
Cases	104,312	15,024	119,336
Deaths	2,998	330	3,328

Confirmed cases and deaths are generally determined by positive PCR tests, which detect the presence of ongoing coronavirus infection.

Probable cases are those who test positive by other testing methods such as antibody or antigen, and have recent symptoms consistent with COVID-19, indicating a recent infection.

Probable deaths are those individuals with a designation of COVID-19 as a cause of death on the death certificate, but where no confirmatory testing was performed.

### Deaths from COVID-19 and Other Causes

This table of death counts compares COVID-19 deaths in Mississippi by week with deaths from other major causes, including contributing and underlying causes.

Mississippi Provisional Death Counts by Week Updated weekly

## K-12 School Report

Mississippi K-12 schools make weekly reports of cases among students, teachers and staff, number of outbreaks, and teachers and students under quarantine as a result of COVID-19 exposure. An outbreak in a school setting is defined as 3 or more individuals diagnosed with COVID-19 in the same group within a 14-day period.

*Note:* These cases have been directly reported to MSDH by each school, and may not yet have appeared in our state and county totals of cases reported by laboratories.

K-12 reports of COVID-19 school cases, outbreaks and exposure Updated weekly

### Long-Term Care Facility Cases and Outbreaks

Long-term care (LTC) facilities like nursing homes are considered high risk locations because their residents are older or in poor health. A single confirmed COVID-19 infection in an LTC facility resident, or more than one infection in employees or staff in a 14-day period constitutes an outbreak. Residential care facilities also represent group living facilities where COVID-19 can be easily spread. We investigate residents, staff and close contacts of infected individuals for possible exposure.

These outbreak figures are reported directly to MSDH by the facility. Many of the cases and deaths reported by facilities may

not yet be included in our totals of lab-reported cases.

- Mississippi COVID-19 cases and deaths in long-term care facilities PDF Long-term care facilities include nursing homes, personal care homes, assisted living homes, and intermediate care facilities for individuals with intellectual disability (ICF-IID)
- Mississippi COVID-19 cases and deaths in residential care facilities PDF Residential care facilities include psychiatric or chemical dependency residential treatment centers and long-term acute care facilities.

#### Ongoing Outbreaks in Nursing Homes

Because nursing homes report COVID-19 data directly to the Centers for Medicare and Medicaid (CMS), we have replaced our usual long-term care facility report with the most recent CMS nursing home data, avoiding duplicate reporting requirements for these facilities.

Data such as illness in residents and staff, deaths in residents, as well as a number of other data elements are now publicly available on the CMS website. MSDH is providing the following links to view this data, which is reported directly by the Nursing Homes and is updated daily.

**Note:** Cases and deaths listed on the CMS website may not have appeared yet in our county totals, which are based on reports from testing laboratories.

- ▶ Search for nursing home COVID-19 data
- About the CMS COVID-19 dataset
- CMS state and national COVID-19 nursing home data


# Mississippi COVID-19 Data Charts and Map

All data reports below are updated as they become available.

## Hospitalizations and Bed Availability

- Interactive chart of hospitalizations by date
- Interactive chart of local and state hospital bed availability

# COVID-19 Hospitalizations Reported by MS Hospitals, 10/9/20-10/29/20 \*,\*\*



# Daily Statewide Data Charts

Our state case map and other data charts are also available in interactive form.


- View interactive map
- ▶ View interactive epidemiological trend and syndromic surveillance

The charts below are based on available data at the time of publication. Charts do **not** include cases where insufficient details of the case are known.

# Mississippi COVID-19 Cases and Deaths by Race with Ethnicity as of 6 pm CT, October 29, 2020

### Total Cases

119,336




	American Indian or Alaska Native	Asian	Black	White	Other	Unknown
Non Hispan	555 ic	349	35,983	36,697	1,372	568
Hispan	ic 19	13	170	1,019	1,930	187
Unkno Ethnici	802	97	8,418	9,722	5,014	16,421


### Total Deaths


3,328


	American Indian or Alaska Native	Asian	Black	White	Other	Unknown
Non Hispan	65 lic	3	1,336	1,337	18	4
Hispan	iic 1	0	7	19	14	1
Unkno Ethnici	21	5	168	222	28	79




**Note:** Values up to two weeks in the past on the chart of Cases by Date above can change as we update it with new information from disease investigation.









## Weekly Statewide Data Summaries




# COVID-19 Deaths by Race/Ethnicity through October 25, 2020\*, Mississippi






### COVID-19 Cumulative Hospitalizations-Investigated Cases October 25, 2020 \*



<sup>\*</sup> Cases in which hospitalization is unknown were excluded due to ongoing case investigations; based on available data as of 6 pm CT




Female


ongoing case investigations.

Male


# COVID-19 Deaths by Race and Gender through October 25, 2020\*, Mississippi



# COVID-19 Cases by Race/Ethnicity through October 25, 2020\*, Mississippi




### COVID-19 Cases by Gender through October 25, 2020\*, Mississippi



\*Based on available data as of 6pm CT

### Weekly Pediatric MIS-C Cases and Deaths

Multisystem inflammatory syndrome in children (MIS-C) is a rare but serious condition associated with COVID-19 that causes inflammation in many body parts, including the heart and other vital organs.



Tracking counties with recent high numbers of COVID-19 cases, adjusted for population, provides insight on where local outbreaks are most serious, and where protective measures should be increased. For more accurate reporting, these weekly charts include sample collection dates only up to seven days in the past to allow for case investigation and delays in lab test reports.

Cases counts in these charts is based on the date of illness onset. If the date of illness is not known, the date the test sample was taken, or the date of test result reporting is used instead. Counts are adjusted as cases are investigated.

Counties are ranked by highest weekly case counts, and by weekly incidence (cases proportional to population). A separate table ranking all counties is also available. **All tables updated weekly.** 

▶ Full tables of counties ranked by weekly incidence and cases PDF


COVID-19 High Incidence MS Counties Over 2 Week Period (October 5- October 18, 2020*)					
County	Cases (October 5-October 18)	Cases per 100,000 (October 5-October 18) ▼	Cases to Date (through October 18)	Cases per 100,000 Total	Percent Change
CARROLL	122	1226.5	465	4674.8	36%
BENTON	56	678.0	315	3814.0	22%
ITAWAMBA	153	654.1	1099	4698.6	16%
MARSHALL	222	629.0	1372	3887.3	19%
CHICKASAW	95	555.5	826	4829.6	13%
LEAKE	119	522.3	1130	4959.2	12%
CLARKE	76	489.0	723	4652.2	12%
TIPPAH	107	486.0	858	3897.3	14%
NESHOBA	139	477.4	1815	6233.3	8%
LEFLORE	133	471.9	1618	5741.0	9%
PRENTISS	115	457.7	1028	4091.4	13%
LINCOLN	150	439.2	1366	3999.6	12%

\*based on available data as of 6pm CT
Cases based on test date. Cases without test date excluded due to ongoing investigations.
Table will be updated weekly. A one week lag is used for reporting.

DESOTO	760	410.9	6748	3648.7	13%
HARRISON	652	313.3	4900	2354.9	15%
JACKSON	505	351.6	4401	3064.4	13%
HINDS	379	163.5	7806	3367.0	5%
LEE	347	406.2	3427	4011.2	11%
RANKIN	286	184.2	3844	2475.7	8%
MADISON	264	248.4	3751	3529.6	8%
LAMAR	237	374.2	2184	3447.9	12%
FORREST	233	311.1	2976	3973.5	8%
MARSHALL	222	629.0	1372	3887.3	19%
JONES	209	306.9	2855	4192.5	8%
LAUDERDALE	188	253.6	2380	3210.8	9%

# Syndromic Surveillance

Emergency department visits by those with symptoms characteristic of COVID-19, influenza and pneumonia, updated weekly.



\*The graph represents syndromic surveillance data from emergency department visits, reported electronically by hospitals throughout the state, that are consistent with COVID-19-Like Illness (CLI), Influenza-Like Illness (ILI), and Pneumonia.

Based on available data as of 6pm CT. Graph will be updated weekly.

### **Estimated Recoveries**

Presumed COVID-19 cases recovered, estimated weekly (does not include cases still under investigation).

# COVID-19 Presumed Recovered Cases through October 25, 2020, Mississippi

# <u>101,385</u>

# Presumed Recovered\*

\*Reflects Provisional Estimates. Presumed Recovered if:

- 1) It has been 14 days or more since the case tested positive, if they were not hospitalized
- 2) It has been 21 days or more since the case tested positive, if they were hospitalized or hospitalization was unknown.

All deaths excluded. Presumed recovered counts will be updated weekly.

### U.S. and World Cases

- ▶ COVID-19 cases in the United States (CDC)
- ▶ U.S. COVID-19 Tracker (CDC)
- COVID-19 Global Case Map (Johns Hopkins University)

# **COVID-19 Testing**

# Statewide Combined Testing as of October 24

COVID-19 testing providers around the state include commercial laboratories as well as hospital labs. Combined with testing done by the MSDH Public Health Laboratory, the figures provide a complete picture of all Mississippi testing. (Updated weekly)

PCR testing detects current, active COVID-19 infection in an individual.

**Antibody** (serology) testing identifies individuals with past COVID-19 infection based on antibodies they develop one to three weeks after infection.

Antigen testing is another way to identify current COVID-19 infection.

	Total tests	PCR	Antibody	Antigen
MSDH Public Health Laboratory	119,691	118,449	1,242	0
Other testing providers	926,874	789,659	42,996	94,219

	Total tests for COVID-19	1,046,565	908,108	44,238	94,219
statewide		,	Í	•	

### MSDH Individuals Tested as of October 29

MSDH Public Health Laboratory (MPHL) testing totals as of 3 p.m. These totals are for tests performed at the MPHL only.

- Total individuals tested by the MPHL: 83,976
- Total positive individuals from MPHL tests: 9,141

### Getting Tested for COVID-19


The MSDH Public Health Laboratory, its partners, and private providers are testing statewide for COVID-19.

Anyone with symptoms of fever, severe cough or severe chest pains – especially those who are older or in poor health – should make arrangements for testing with their doctor or one of the many healthcare providers now performing testing. Healthcare providers can assess your health history and symptoms, and perform testing for COVID-19 as needed. MSDH is also helping conduct free drive-up testing sites in many parts of the state. Always call ahead to the testing provider for instructions on safely being examined before you visit for your test.

▶ Find a COVID-19 testing provider near you

# Prevention and Guidance for Individuals and the Community

▶ Preventive steps to take, recommendations, guidance and general information on COVID-19




- ▶ [ Espanol, Tieng Viet, ASL ]
- County Data
- Diagnostic Testing EUA
- Handouts and Posters
- Healthcare Professionals
- Interactive Map and Charts
- Long-Term Care Outbreaks
- Prevention and Safety Guidance
- School Cases and Outbreaks
- ▶ Testing for COVID-19

# Over 65?

# Stay Home. Stay Safe. Stay Healthy.





#### **AGENCY**

About Us

Administration

Board of Health

**County Offices** 

Institutional Review

Johs

Locations

Public Health Laboratory

RFPs/Grants

More »

Intranet

**OHIT+ER Service Center** 

Webmail

#### INFORMATION

**Apps** 

Calendar of Events

Contact Us

Meetings

Health Resources

Hotlines

Locations

News

Newslette

**Phone Numbers** 

Españo

### I NEED A ...

Birth Certificate

Certificate of Need

Children's Health Insurance

Complaint Form

Criminal History Check

**Death Certificate** 

Divorce Record

Food Permit

Immunization Record

J-1 Visa **PUBLICATIONS**