





ZAMBIA SITUATION REPORT NO. 107

Disease Outbreak: COVID-19
Report date: Monday 11th January 2021
Report date: Monday 11th January 2021
Report date: Monday 11th January 2021
Response start date: 30th January, 2020
Prepared by: MOH/ZNPHI/WHO
Correspondence: ims.covid@znphi.co.zm

1. SITUATION UPDATE

† Cases this week (11th - 17th Jan): 868

1.1 CURRENT CASE NUMBERS (as of 09:00 hours CAT)

- In the past 24 hrs, there were **868 new confirmed cases**, **2 deaths and 183** recoveries.
- Cumulative number of confirmed COVID-19 cases recorded to date is 28,596
 with 471 deaths (CFR=1.659%) and 20,781 recoveries (72.67% recovered).
- Of the 471 total deaths among the confirmed cases, 166 have been classified as
 COVID-19 deaths (CFR=0.58%) and 305 as associated deaths. See Annex
 1 for definitions


Global Numbers (Source: JHU)

- † 90,443,644 Confirmed
- † 1,938,155 Deaths
- **†** 50,173,557 Recoveries

Africa Numbers Source: Africa CDC)

- 3,051,036 Confirmed
- † 72,705 Deaths
 - 2, 466,432 Recoveries
- There are currently **7,344 active cases:** of these, 224 are hospitalised (with 149 on Oxygen therapy and 19 in critical condition); 7,120 patients are under community management.


2. EPIDEMIOLOGICAL HIGHLIGHTS (By Epi-week)



















~~____

ZAMBIA STATI STICS - 10/01/21 28,596 Cumulative cases

of affected districts: 107 (0 new districts)

~	Cases hy	Thistories
omminmed	L ases nv	DISTRICT

Confirmed Cases by Di	istrict	
Lusaka 13476	Kasempa 67	Mpulungu 15
Ndo1a 2354	Sinazongwe 66	Nkeyema 14
Kabwe 1316	Serenje 64	I te zhi-tezhi 12
Kitwe 1185	Mpongwe 62	Limulunga 12
Livingstone 1114	Nchelenge 55	Chembe 11
Nakonde 989	Sesheke 51	Mushindano 11
Sofwezi 921	Masaiti 49	Mufumbwe 11
Mongu 488	Mkushi 47	Chifunabuli 10
Chingola 391	Nyimba 44	Mwense 10
Chipata 376	Mwinilunga 42	Lupososhi 10
Chililabombwe 373	Petauke 41	Pemba 10
Choma 357	Zambezi 37	Lunte 7
Mufulira 278	Senanga 34	I ke lenge 6
Chirundu 255	Luano 33	Chipangali 5
Kalumbila 248	Kawambwa 33	Mporokoso 5
Mansa 231	Senga Hill 33	Luampa 5
Mpika 199	Siavonga 33	Kasenengwa 4
Kafue 191	Luwingu 32	Milenge 4
Kasama 167	Mambwe 29	Nsama 4
Mazabuka 166	Namwala 28	Mbereshi 3
Chinsali 163	Chilubi 27	Mafinga 3
Katete 148	Lukulu 26	Manyinga 3
Kalulushi 146	Lundazi 25	Chasefu 2
Chikankata 144	Mitete 25	Chiengi 2
Kaoma 142	Samfya 24	Kanchibiya 2
Chibombo 137	Luangwa 23	Mwandi 2
Kazungula 123	Mbala 23	Lumezi 1
Luanshya 122	Mungwi 23	Lusangazi 1
Chilanga 118	Chadiza 22	Vubwi 1
Mumbwa 116	Kalabo 22	Kaputa 1
Monze 115	Sinda 21	Sikongo 1
Chisamba 108	Mulobezi 20	
Rufunsa 99	Isoka 19	
Kalomo 94	Kabompo 19	
Chongwe 91	Gwembe 18	
Kapiri Mposhi 68	Chavuma 16	
Zimba 68	Shang'ombo 16	

Mwansabombwe 15




Figure 3: Map showing distribution of confirmed COVID-19 cases by district, as of 11th January 2021

Lufwanyama 67







Age distribution: Below is a graph showing the age distribution of confirmed cases by month, between March and December 2020




Figure 4: Age distribution of confirmed cases (March–December, 2020)

3. ACTIONS TO DATE

3.1 CO-ORDINATION

> Regional/Continental level:

Zambia hosts the Southern Africa Regional Collaborating Centre
of the Africa CDC and has been coordinating the response at
regional level. To date, Southern Africa has recorded
1,391,189 confirmed cases of COVID-19 including
35,654deaths and 1,083,246 recoveries. Zambia continues to
participate in AU meetings to ensure continued regional and
continental trade and strategies to stop transmission of COVID19.

National Level:

- The government continues to enforce the measures and interventions to control the spread of COVID-19 countrywide as outlined in the Statutory instruments SI21 and SI22 of 2020 on COVID-19 and presidential directives issued in March 2020.
- A COVID-19 contingency plan outlining the country's COVID-19 preparedness and response activities was finalised and continues to be regularly updated as the outbreak evolves.

BACKGROUND

The WHO was alerted of an increase in the number of pneumonia cases of unknown cause detected in Wuhan City, Hubei Province, China. The disease now called Coronavirus Disease 2019 (COVID-19) is caused by a new coronavirus named SARS-CoV-2. The WHO declared the outbreak a PHEIC on 30th January and further declared COVID-19 a pandemic on 12th March. Zambia recorded its first two cases of COVID-19 on 18th March 2020. The first 28 cases in Zambia all had a history of travel to Europe or Asia. Three weeks into the outbreak, cases were noted among people without history of travel but in contact with confirmed cases. There has since been an increase in local personperson transmission with increasing geographic spread. Cases have been reported in all ten provinces, with Western province being the last to record cases of COVID-19.







- An eight pronged strategy has been implemented in response to the outbreak: Surveillance and case finding;
 Case management; Infection prevention and control; Risk communication and community engagement;
 Laboratory diagnosis; Logistics and supply chain management; Appropriate competent and adequate workforce; and Routine essential health services
 - The public health safety measures that have been implemented in response to the outbreak include closure of schools and higher learning institutions; mandatory wearing of a mask while out in public; continued screening of travellers into Zambia; redirection of all international flights to land and depart from KKIA only; suspension of non-essential travel to countries with confirmed COVID-19 cases; restriction of public gatherings; restaurants to operate only on take away and delivery basis; and closure of all bars, nightclubs, cinemas, gyms and casinos. Travellers into Zambia must be isolated at designated government facilities, or alternatively at designated lodges and hotels at own cost, while awaiting test results. However, a number of measures have been eased over time. The details are provided below
 - Easing of public health and safety measures: the following measures have been eased to date
 - 24th April, 2020: Resumed congregation at places of worship, non-contact sports, and operation of saloons and barbershops subject to adherence to public health regulation, guidelines and certification
 - 8th May, 2020: Restaurants, cinemas, gyms, and casinos reopened; hotels, lodges event management, tour operators and other business proprietors that closed voluntarily advised to consider reopening
 - 1st June 2020: Primary and secondary schools reopened for examination classes only.
 - 8th June 2020: Commenced phased reopening of colleges and universities for final year students only
 - 25th June 2020: All international airports reopened
 - 11th September 2020: Reopening of all non-examination classes in universities, colleges and schools announced during the Presidential state of the nation address. Schools were scheduled to reopen between the 14th and 28th September 2020 subject to adherence to public health certification, guidelines, regulations and measures. The partial reopening of bars, taverns and nightclubs with immediate effect was also announced; the establishments will be allowed to operate subject to adherence to public health certification, guidelines, regulations and measures, and will only operate between the hours of 6pm to 11pm from Fridays to Sundays.
- Technical level: The ZNPHI continues to provide leadership and partner collaboration on the response through the Public Health Emergency Operation Centre (PHEOC).
 - Technical co-ordinating meetings are being held with cooperating partners and other stakeholders. The meetings are chaired by the Director, ZNPHI
 - The Incident Management System (IMS) continues to meet at ZNPHI (with a Zoom link provided to ensure social distancing) on Tuesdays and Thursdays. The IMS structure is available at **Annex 2**







3.3 SURVEILLANCE

Newly reported COVID-19 cases

Table 1: Breakdown of confirmed COVID-19 cases reported on 11th January 2021

DATE	REPORTS	NUMBERS BY LOCATION
11 th January, 2021	Cases	251 Lusaka, 156 Kabwe, 75 Solwezi, 72 Mongu, 47 Kaoma, 43 Ndola, 36 Kitwe, 26 Livingstone, 15 Mansa, 14 Chisamba, 14 Kalulushi, 14 Shangombo, 13 Monze, 13 Sesheke, 12 Chililabombwe, 11 Kapiri-Mposhi, 8 Chingola, 7 Kalumbila, 7 Luano, 6 Kasama, 5 Luanshya, 5 Sinazongwe, 4 Gwembe, 3 Chongwe, 2 Kawambwa, 2 Mungwi, 2 Senga Hill, 1 Kafue, 1 Luangwa, 1 Mbala, 1 Mbereshi, 1 Siavonga
	Deaths	2 Lusa ka (facility)
	Recoveries	101 Southern, 43 Central, 12 North-western, 8 Luapula, 8 Western, 6 Eastem, 3 Lusaka, 2 Northern
TOTAL	868 New confirmed cases; 2 deaths; 183 recoveries	




Figure 5: Categorisation of confirmed cases reported 11th January 2021







3.4 CASE MANAGEMENT

- There are currently 224 COVID-19 patients hospitalised in facilities around the country; of these, 149 are on Oxygen therapy and 19 are in critical condition
- Two facility deaths were recorded at the Levy isolation facility in Lusaka in the last 24hrs

Table 3: National distribution of hospitalised COVID-19 patients by province – 11th January 2021

PROVINCE	FACILITY	TOTAL # OF PATIENTS	# OF PATIENTS ON OXYGEN	# OF CRITICAL PATIENTS	DEATHS
Central	Kabwe General Hospital	4	3	2	0
Copperbelt	Ndola Teaching Hospital	15	12	0	0
	Kitwe Teaching Hospital	4	0	0	0
Eastern	Chipata General Hospital	14	5	1	0
Luapula	Mansa General Hospital	4	2	0	0
	Milenge	0	0	0	0
Lusaka	Levy Mwanawasa	91	79	8	2
	UTH	39	25	5	0
	Kafue	2	1	1	0
	Rufunsa	0	0	0	0
	Chirundu	2	0	0	0
	Chongwe	1	1	0	0
Muchinga	Chinsali General Hospital	0	0	0	0
Northern	Mbala	2	1	0	0
	Kasama	2	0	0	0
North-western	Kalumbila	6	2	0	0
	Solwezi	2	0	0	0
Southern	Livingstone Hospital	15	6	0	0
	Choma	8	3	1	0
	Macha	1	1	0	0
	Maamba	2	1	0	0
	Chikankata	1	0	0	0
	Monze	1	1	1	0
Western	Mongu	7	5	0	0
	Kaoma	1	1	0	0
TOTAL		224	149	19	2







• Below is the community management model and admission/discharge criteria for persons who test positive for COVID-19:

Community Model for COVID-19 Response for SARS-CoV2 Positive Test Result for SARS-CoV2 Does patient Asymptomatic Patient Symptomatic Patient Low Risk Patient High Risk Patient Patient with no If any of the following present: Comorbidities or Pre-existing Medical Comorbidities; any medical HTN, DM, Renal disease, CVD (Stroke), Chronic lung disease (e.g., COPD, Asthma, TB, Bronchiectasis), hospital admiss Sickle cell, Malignancy Any other medical reason requiring hospital admission Social Reasons: Overcrowded household, elderly > 60 years, Staying with elderly, Communal sanitary facilities Allow for Home Admit to COVID-19 Isolation Center

Figure 7: Community management model for COVID-19 patients

"If develops COVID-19 symptoms, refer to




Figure 8: Admission and Discharge criteria for COVID-19 patients








3.5 LABORATORY AND SAMPLE MANAGEMENT

Zambia is utilising real-time Polymerase Chain Reaction (RT-PCR), Gene Xpert, Hologic Panther, RDT, and Roche Cobas 6800 testing platforms for COVID-19 diagnosis. Testing facilities are available in all 10 provinces. Refer to Table 2 for the currently designated laboratories for COVID-19 diagnostics

Table 2: National Laboratory Diagnostic Capacity for COVID-19 by province

PROVINCE	INSTITUTION	TESTING PLATFORM(S)	
Central	Kabwe General Hospital	Gene Xpert	
	TDRC, Ndola	RT-PCR	
Copperbelt	Arthur Davison Children's Hospital	Cobas 6800	
Eastern	Chipata General Hospital	Gene Xpert	
Luapula	Mansa General Hospital	Gene Xpert	
	ZNS Luamfumu	Gene Xpert	
Lusaka	UTH, Levy (Virology, ACOE, PCOE), Lusaka	RT-PCR; Gene Xpert; Cobas 6800; Panther; RDT	
	UNZA – SVM, Lusaka	RT-PCR	
	CIDRZ, Lusaka	RT-PCR	
	CHAZ, Lusaka	RT PCR	
	Lancet	RT PCR	
	Mtendere Mission Hospital, Chirundu	Gene Xpert	
	MedLand Hospital, Lusaka	RT PCR	
	Victoria Hospital	RT PCR	
	Zambia Air Force Hospital, Lusaka	Gene Xpert	
	ZNPHRL, Lusaka	RT PCR	
Muchinga	Chinsali General Hospital	Gene Xpert & PCR	
Northern	Kasama General Hospital	Gene Xpert	
	Solwezi General Hospital, Solwezi	Panther	
North-western	Kansanshi Mine Hospital (Mary Begg), Solwezi	Gene Xpert	
	Macha Research Trust	RT-PCR	
Southern	Livingstone Teaching Hospital	Gene Xpert	
Western	Lewanika General Hospital Gene Xpert		

- In the past week (4th to 10th January), **74,169 tests** were conducted (compared to **60,242** tests the previous week), out of which **8.29%** tested positive for SARS-CoV-2 (compared to 2.90% the previous week).
- In the last 24hrs, **8,750 tests** were conducted, out of which **868** samples tested positive for SARS-CoV-2 (9.92% positive).
- To date, a total of 706,965 **tests** have been conducted, with a cumulative **28,596 confirmed positive** (**4.04% positivity rate**) for SARS-CoV-2. The testing coverage is **41,586 per 1,000,000 population**









ANNEX 1: CORONAVIRUS DISEASE 2019 (COVID-19) CASE DEFINITIONS

1. Suspect case:

A. Patient with acute respiratory infection (fever and at least one sign/symptom of respiratory disease e.g. cough, shortness of breath), AND with no other aetiology that fully explains the clinical presentation AND a history of travel to or residence in a country/area or territory reporting local transmission of COVID-19 during the 14 days prior to symptom onset,

OR

B. Patient with any acute respiratory illness AND having been in contact with a confirmed or probable COVID-19 case in the last 14 days prior to symptom onset,

OR


- C. Patient with severe acute respiratory infection (fever and at least one sign/symptom of respiratory disease e.g. cough, shortness of breath), AND requiring hospitalization AND with no other aetiology that fully explains the clinical presentation
- **2. Probable case:** A suspect case for whom testing for COVID-19 is inconclusive or is tested positive using a pan-coronavirus assay and without laboratory evidence of other respiratory pathogens.
- **3.** Confirmed case: A person with laboratory confirmation of COVID-19 infection, irrespective of clinical signs and symptoms.
- <u>4. COVID-19 Death</u>: COVID-19 death is defined for surveillance purposes as a death resulting from a clinically compatible illness in a probable or confirmed COVID-19 case, unless there is a clear alternative cause of death that cannot be related to COVID disease (e.g. trauma). There should be no period of complete recovery between the illness and death.
- 5. COVID-19 Associated Death: a death of an individual in whom COVID-19 has been detected but it is not the primary cause of death
- **6. COVID-19 Unclassified Death:** a death of an individual in whom COVID-19 has been detected but the cause of death is yet to be classified as either a COVID-19 death or associated death following expert review
- 7. Contact: a person who experienced any one of the following exposures during the 2 days before and the 14 days after the onset of symptoms of a probable or confirmed case: a. Face-to-face contact with a probable or confirmed case within 1 meter and for more than 15 minutes; b. Direct physical contact with a probable or confirmed case; c. Direct care for a patient with probable or confirmed COVID-19 disease without using proper personal protective equipment; OR d. Other situations as indicated by local risk assessments.







ANNEX 2: NATIONAL LEVEL INCIDENT MANAGEMENT SYSTEM FOR THE COVID-19 PREPAREDNESS RESPONSE



Zambia COV-19 SitRep January 2021







ANNEX 3: LIST OF DESIGNATED ISOLATION FACILITIES FOR THE COVID-19 OUTBREAK RESPONSE

PROVINCE	DISTRICT	ISOLATION FACILITY	
Eastern	Chipata	Walera HP and Chipata District Hospital	
	Chadiza	Sadzu RHC and Chilenga HP	
	Lundazi	Lundazi New Hospital Male Ward	
	Mambwe	Agriculture Field Training Centre and ADRA shade in Nsefu	
	Petauke	Zuze Health Post	
	Katete	Katete Livestock Market	
	Nyimba	Chininkhu Health Post	
	Sinda	Ukasimbe Health Post and Chinzule HP	
	Vubwi	Chigwe Health Post	
	Kasenengwa	Kanzutu Health Post	
	Lumezi	Lumezi Hospital, Mwasemphangwe Zonal and Mwanya RHC	
	Chasefu	Kanyanga Mission Hospital	
	Chipangali	Mkanda RHC and Chinunda RHC	
	Lusangazi	Ukwimi Trades	
Southern	Livingstone	Mosi Oa Tunya Health centre	
	Zimba	Zimba Basic school	
	Siavonga	Kabbila Health Post	
	Pemba	Pemba Main Clinic	
	Kalomo	Mawaya Clinic	
	Monze	Mulumbwa Health Post	
	Mazabuka	Research clinic	
	Chikankata	Nansenga Rural Health centre	
	Namwala	Nchole Health Post	
	Choma	Njase Clinic	
	Gweembe	Munyumbwe HAHC	
	Kazungula	Kazungula hospital admin block	
	Sinazongwe	Sinazongwe rural health centre	
Lusaka	Chilanga	Tubalange Mini Hospital, Mount Makulu Health Post	

	Chirundu	Lumbembe Clinic	
	Kafue	Shikoswe Clinic	
	Luangwa	Kavalamanja RHC, Chitpoe RHC, Kasinsa RHC, Mandombe RHC	
	Lusaka	Levy Mwanawasa, UTH, Tubalange Mini Hospital, Chawama SD, Matero SD, Chilenje SD, Kanyama SD, Chipata SD, Victoria Hospital, Bauleni	
	Rufunsa	Rufunsa RHC, Chinyunyu RHC	
Muchinga	Isoka	Lualizi and Kafwimbi RHC	
	Lavushimanda	Red Rhino school, Muwele Market .	
	Nakonde	Nakonde Hospital and Nakonde Urban Clinic.	
	Chama	FTC	
	Shiwang'andu	Lwanya RHC	
	Mpika	Chibansa RHC	
	Kanchibiya	Kopa Primary school ,LuchembeKanchibiya resettlement scheme,Chalabesa RHC.	
	Chinsali	Nambuluma RHC	
	Mafinga	Mulekatembo	
Western	Senanga	Litambya RHC	
	Shangombo	Shangombo Secondary School	
		Shangombo RHC	
	Kaoma	Kaoma Trades	
		Kaoma Youth Resource Centre	
	Luampa	Kahumbu Primary School	
	Lukulu	Lukulu Old Hospital	







	Mitete	Lukulu Old Hospital
	Kalabo	Wenela RHC
	Nalolo	Muoyo RHC
	Sioma	Old Nangwesh Refugee Camp
	Mulobezi	Mulobezi HAHC
	Mwandi	Situlu Health Post
	Sesheke	Mulimambango
	Sikongo	Sikongo RHC
	Limulunga	Nan'oko Health Post
	Mongu	Mongu D Hospital, Mweeke HP
	Nkeyema	Nkeyema Zonal Health Centre
Central	Chitambo	Muchinka RHC
	Mkushi	Kasalamkanga RHC
	Serenje	Serenje Boma School
	luano	Old Mkushi Health Centre
	Kapiri	Tazara dry port
	Kabwe	Old Mukobeko clinic
	Chibombo	Twalumba RHC
	Chisamba	Malombe RHC
	Shibuyunji	Sichobo Rural Health Centre
	Mumbwa	Mumbwa Urban Clinic
	Itezhi tezhi	Itezhi tezhi Basic School/Uphill Scholl and and Itezhi Tezhi Boarding School
	Ngabwe	Iwonde primary school

Copperbelt	Chililabombwe	Council Hall	
	Chingola	Kalilo Health Centre	
	Kalulushi	Kalulushi Urban Health Centre	
	Kitwe	Garnerton Clinic	
	Luanshya	Chibolya Clinic	
	Lufwanyama	Shimukunami Rural Health Centre	
	Masaiti	Masaiti District Hospital	
	Mpongwe	Bwembelelo Health Post	
	Mufulira	Mutundu RHC	
	Ndola	Itawa clinic	
Northern	Chilubi	Chaba RHC Chilubi RHC	
	Kaputa	Kaputa RHC Kalaba RHC Kapepula HP	
	Kasama	Lukupa Rural Centre	
	Lunte	Chitoshi RHC Mukupa Koama RHC Mulenga Mapesa HP	
	Lupososhi	Chungu RHC Nsombo RHC	
	Luwingu	Ipusikilo RHC	
	Mbala	Chulungoma Urban Clinic Kaluluzi Health Post	
	Mporokoso	Township Clinic Chiwala RHC	
	Mpulungu	Mpulungu Urban Clinic	
	Mungwi	Mungwi Baptist HC, Kayambi RHC	
	Nsama	NsumbuRHC	
	Senga	Nsumbu RHC, Mwiluzi HP, Sumbi HP	





