

ZAMBIA COVID-19 SITUATION REPORT NO. 130

Disease Pandemic: COVID-19

Response start date: 30th January, 2020

Outbreak Declared: 18th March, 2020

Report date: Wednesday 3rd February 2021

Prepared by: MOH/ZNPPI/WHO

Correspondence: ims.covid@znphi.co.zm

1. SITUATION UPDATE

This week (1st - 7th Feb) ↑ Cases **3,272** ↑ Deaths **41** ↑ Recoveries **2,479**

1.1 CURRENT CASE NUMBERS (as of 09:00 hours CAT)

- In the past 24 hrs, we recorded **1,256 new confirmed cases, 10 deaths and 783 recoveries.**
- Cumulative number of confirmed COVID-19 cases recorded to date is **57,489** with **804 deaths (CFR=1.40%)** and **50,479 recoveries (87.81% recovered).**
- Of the 804 total deaths among the confirmed cases, **364 have been classified as COVID-19 deaths (CFR=0.63%)** and **408 as associated deaths; 27 deaths are pending classification.** See Annex 1 for definitions
- There are currently **6,206 active cases:** of these, 435 (7%) are hospitalised (with 296 on Oxygen therapy and 46 in critical condition); **5,771** patients are under community management.

Global Numbers

(Source: JHU)

↑ **103,894,882 Confirmed**
 ↑ **2,253,565 Deaths (2.2% CFR)**
 ↑ **57,699,796 Recoveries**

Africa Numbers

(Source: Africa CDC)

↑ **3,594,875 Confirmed**
 ↑ **92,368 Deaths (2.6% CFR)**
 ↑ **3,098,283 Recoveries**

2. EPIDEMIOLOGICAL HIGHLIGHTS




Figure 1: Weekly COVID-19 confirmed cases (N=57,489), deaths (N=804) and recoveries (N=50,479) as of 3rd February, 2021

- **Age and sex distribution:** Below is a table showing the age and sex distribution of confirmed cases and death, based on data compiled up to January, 2021

Age Groups	Positive Cases (%)		Deaths (%)		CFR (%)
	Male	Female	Male	Female	
≤1 year	0.34%	0.29%	0.52%	1.29%	3.47%
>1-4 years	0.54%	0.46%	0.77%	1.29%	2.48%
5-9 years	0.85%	0.90%	0.52%	1.03%	1.06%
10-14 years	1.08%	1.39%	0.26%	0.00%	0.13%
15-19 years	1.99%	2.76%	1.29%	1.55%	0.72%
20-24 years	5.92%	7.03%	3.35%	0.77%	0.38%
25-29 years	8.12%	7.63%	4.64%	2.32%	0.53%
30-39 years	15.05%	11.42%	11.34%	6.19%	0.80%
40-49 years	11.58%	6.65%	10.05%	2.84%	0.85%
50+ years	9.26%	6.73%	26.55%	23.45%	3.77%
Total %	54.73%	45.27%	59.28%	40.72%	1.41%
Median Age (Range)	35 (1-99)	31 (1-100)	47 (1-94)	56 (1-96)	

Table 1: Age and sex distribution of confirmed cases/deaths (based on data compiled up to January, 2021)

3. ACTIONS TO DATE

3.1 CO-ORDINATION

➤ Regional/Continental level:

- Zambia hosts the Southern Africa Regional Collaborating Centre of the Africa CDC and has been coordinating the response at regional level. To date, **Southern Africa has recorded 1,715,854 confirmed cases; 49,849 deaths; and 1,512,352 recoveries.** Zambia continues to participate in AU meetings to ensure continued regional and continental trade and strategies to stop transmission of COVID-19.

➤ National Level:

- The government continues to enforce measures and interventions to control the spread of COVID-19 countrywide as outlined in the Statutory instruments **SI21 and SI22 of 2020 on COVID-19 and presidential directives.**
- A **COVID-19 contingency plan** outlining the country's COVID-19 preparedness and response activities is available and continues to be regularly updated as the outbreak evolves.

BACKGROUND

The WHO was alerted of an increase in the number of pneumonia cases of unknown cause detected in Wuhan City, Hubei Province, China. The disease now called Coronavirus Disease 2019 (COVID-19) is caused by a new coronavirus named SARS-CoV-2. The WHO declared the outbreak a PHEIC on 30th January and further declared COVID-19 a pandemic on 12th March. Zambia recorded its first two cases of COVID-19 on 18th March 2020. The first 28 cases in Zambia all had a history of travel to Europe or Asia. Three weeks into the outbreak, cases were noted among people without history of travel but in contact with confirmed cases. By mid-June 2020, cases had been reported in all ten provinces, with Western province being the last to confirm cases of COVID-19. Generalised local person-person transmission is now established throughout the country.

- Technical co-ordinating meetings are held with cooperating partners and other stakeholders. The meetings are chaired by the Director, ZNPPI
- The Incident Management System (IMS) continues to meet at ZNPPI (with a Zoom link provided to ensure social distancing) on Tuesdays and Thursdays. The IMS structure is available at **Annex 2**

3.2 SURVEILLANCE

- Active surveillance is ongoing in healthcare facilities, at community level, through contact tracing and at POEs.
 - Ten (10) deaths were recorded in the last 24hrs: of these, five were classified as COVID-19 deaths, three (3) as COVID-associated and two deaths are pending classification.

Table 2: Breakdown of confirmed COVID-19 cases reported on 3rd February 2021

PROVINCE	NUMBERS BY DISTRICT		PROVINCIAL RECOVERIES
	CASES	DEATHS	
CENTRAL	Chibombo 40, Chitambo 1, Kabwe 91, Kapiri Mposhi 37, Mumbwa 2, Serenje 4, Shibuyunji 5 [TOTAL: 180]	0	48
COPPERBELT	Chilila bombwe 8, Chingola 6, Kalulushi 16, Kitwe 22, Luanshya 34, Lufwanyama 5, Masaiti 1, Mufulira 10, Ndola 32 [TOTAL: 134]	4	241
EASTERN	Chadiza 5, Chipangali 3, Chipata 37, Katete 7, Lumezi 1, Lundazi 9, Mambwe 3, Nyimba 2, Petauke 5, Sinda 10, Vubwi 4 [TOTAL: 86]	2	63
LUAPULA	Chiengi 5, Kawambwa 3, Mansa 34, Mwansabombwe 5, Mwense 10, Nchelenge 18 [TOTAL: 75]	0	43
LUSAKA	Chilanga 2, Chirundu 14, Chongwe 7, Kafue 2, Luangwa 3, Lusaka 379, Rufunsa 2 [TOTAL: 409]	3	166
MUCHINGA	Chinsali 40, Isoka 27, Kanchibiya 11, Mafinga 2, Mpika 12, Shiwan'gandu 15 [TOTAL: 107]	0	43
NORTHERN	Chilubi 6, Kasama 9, Luwingu 13, Mbala 5, Mporokoso 8, Mpulungu 5, Mungwi 9, Nsama 9, Senga Hill 2 [TOTAL: 66]	1	35
NORTH-WESTERN	Chavuma 1, Kabompo 13, Kalumbila 5, Kasempa 12, Manyinga 8, Mushindamo 1, Solwezi 10, Zambezi 13 [TOTAL: 63]	0	50
SOUTHERN	Chikankata 5, Choma 41, Gwembe 3, Kalomo 28, Kazungula 6, Livingstone 9, Monze 5, Namwala 12, Sinazongwe 4 [TOTAL: 113]	0	75
WESTERN	Kalabo 2, Kaoma 1, Luampa 1, Mongu 7, Mwandia 1, Nkeyema 3, Senanga 6, Sikongo 2 [TOTAL: 23]	0	19
TOTAL	1,256 New Cases	10 Deaths	783 Recoveries




Figure 2: Categorisation of confirmed cases reported 3rd February 2021

3.4 CASE MANAGEMENT

- There are currently 435 COVID-19 patients hospitalised in facilities around the country; of these, 296 are on Oxygen therapy and 46 are in critical condition
- The community management model and admission/discharge criteria for persons who test positive for COVID-19 available at **Annex 3**.
- The revised guidelines for the home management of COVID-19 cases can be accessed [here](#).

Table 3: National distribution of hospitalised COVID-19 patients by province – 3rd February 2021

PROVINCE	TOTAL # OF PATIENTS	ON OXYGEN	CRITICAL
CENTRAL	14	5	0
COPPERBELT	128	84	20
EASTERN	18	7	0
LUAPULA	18	14	1
LUSAKA	177	143	21
MUCHINGA	6	1	0
NORTHERN	15	7	1
NORTH-WESTERN	23	10	1
SOUTHERN	28	19	1
WESTERN	8	6	1
TOTAL	435	296	46

3.5 LABORATORY AND SAMPLE MANAGEMENT

- Below is a chart showing the number of tests conducted by province vs. the number of confirmed cases and percentage positivity




Figure 3: Number of tests by Province vs # of confirmed cases reported (3rd February 2021)

- Zambia is utilising a number of testing platforms to run COVID-19 diagnostics, including real-time Polymerase Chain Reaction (RT-PCR), Gene Xpert, Hologic Panther, RDT, and Roche Cobas 6800. Laboratory facilities are available in all 10 provinces. See **Annex 4** for a list of the currently **designated laboratories**
- In January 2021, the testing strategy was revised from mass testing to a more targeted approach. The revised strategy can be found [here](#).
- In the past week (25th - 31st January), **75,320 tests** were conducted (compared to **68,941** tests the previous week), out of which **11.79%** tested positive for SARS-CoV-2 (compared to 11.22% the previous week).
- Current week (1st – 7th February): so far, **24,685 tests** have been conducted (**13.26%** positivity)
- In the last 24hrs, **10,730 tests** were conducted, out of which **1,256** samples tested positive for SARS-CoV-2 (11.71% positive).
- To date, a total of **936,514 tests** have been conducted, with a cumulative **57,489 confirmed positive (6.14% positivity rate)** for SARS-CoV-2. The testing coverage is **55,089 per 1,000,000 population**




Figure 4: Daily number of tests vs % of positive results recorded (3rd January to 3rd February, 2021)

ANNEX 1: CORONAVIRUS DISEASE 2019 (COVID-19) CASE DEFINITIONS

1. Suspect case:

A. Patient with acute respiratory infection (fever and at least one sign/symptom of respiratory disease e.g. cough, shortness of breath), AND with no other aetiology that fully explains the clinical presentation AND a history of travel to or residence in a country/area or territory reporting local transmission of COVID-19 during the 14 days prior to symptom onset,

OR

B. Patient with any acute respiratory illness AND having been in contact with a confirmed or probable COVID-19 case in the last 14 days prior to symptom onset,

OR

C. Patient with severe acute respiratory infection (fever and at least one sign/symptom of respiratory disease e.g. cough, shortness of breath), AND requiring hospitalization AND with no other aetiology that fully explains the clinical presentation

2. Probable case: A suspect case for whom testing for COVID-19 is inconclusive or is tested positive using a pan-coronavirus assay and without laboratory evidence of other respiratory pathogens.

3. Confirmed case: A person with laboratory confirmation of COVID-19 infection, irrespective of clinical signs and symptoms.


4. COVID-19 Death: COVID-19 death is defined for surveillance purposes as a death resulting from a clinically compatible illness in a probable or confirmed COVID-19 case, unless there is a clear alternative cause of death that cannot be related to COVID disease (e.g. trauma). There should be no period of complete recovery between the illness and death.

5. COVID-19 Associated Death: a death of an individual in whom COVID-19 has been detected but it is not the primary cause of death

6. COVID-19 Unclassified Death: a death of an individual in whom COVID-19 has been detected but the cause of death is yet to be classified as either a COVID-19 death or associated death following expert review


7. Contact: a person who experienced any one of the following exposures during the 2 days before and the 14 days after the onset of symptoms of a probable or confirmed case: a. Face-to-face contact with a probable or confirmed case within 1 meter and for more than 15 minutes; b. Direct physical contact with a probable or confirmed case; c. Direct care for a patient with probable or confirmed COVID-19 disease without using proper personal protective equipment; OR d. Other situations as indicated by local risk assessments.

ANNEX 2: NATIONAL LEVEL INCIDENT MANAGEMENT SYSTEM FOR THE COVID-19 PREPAREDNESS RESPONSE



ANNEX 3: CASE MANAGEMENT MODELS

Community Model for COVID-19 Response for SARS-CoV2 Positive Patients



Admission and Discharge Criteria for Covid-19 Patients

S E T T I N G	Hospital/Facility Care	Patients with Medical Conditions requiring continued Care beyond COVID-19 Recovery	Home Care
A D M I S S I O N	<ul style="list-style-type: none"> → Any symptoms for COVID-19 → Asymptomatic High-Risk patients → Presence of other Medical conditions → Where Home Isolation is not feasible 	<ul style="list-style-type: none"> → As medically indicated 	<ul style="list-style-type: none"> → Asymptomatic → No comorbidity → If home Isolation feasible
D I S C H A R G E / D E I S O L A T I O N	<ul style="list-style-type: none"> → Asymptomatic for at least 3 days plus 1 negative PCR at day 7 or beyond AND → 14 days since first Positive PCR 	<ul style="list-style-type: none"> → Two negative PCR Tests at least 24 hours apart 	<ul style="list-style-type: none"> → 1 negative PCR at day 7 or beyond AND → 14 days since first Positive PCR

ANNEX 4: LIST OF DESIGNATED COVID-19 DIAGNOSTIC LABORATORIES

PROVINCE	INSTITUTION	TESTING PLATFORM(S)
Central	Kabwe General Hospital	Gene Xpert
Copperbelt	TDRC, Ndola Arthur Davison Children's Hospital	RT-PCR Cobas 6800
Eastern	Chipata General Hospital	Gene Xpert
Luapula	Mansa General Hospital ZNS Luamfumu	Gene Xpert Gene Xpert
Lusaka	UTH, Levy (Virology, ACOE, PCOE), Lusaka UNZA – SVM, Lusaka CIDRZ, Lusaka CHAZ, Lusaka Lancet Mtendere Mission Hospital, Chirundu MedLand Hospital, Lusaka Victoria Hospital Zambia Air Force Hospital, Lusaka ZNP HRL, Lusaka	RT-PCR; Gene Xpert; Cobas 6800; Panther; RDT RT-PCR RT-PCR RT PCR RT PCR Gene Xpert RT PCR RT PCR Gene Xpert RT PCR
Muchinga	Chinsali General Hospital	Gene Xpert & PCR
Northern	Kasama General Hospital	Gene Xpert
North-western	Solwezi General Hospital, Solwezi Kansanshi Mine Hospital (Mary Begg), Solwezi	Panther Gene Xpert
Southern	Macha Research Trust Livingstone Teaching Hospital	RT-PCR Gene Xpert
Western	Lewanika General Hospital	Gene Xpert