





ZAMBIA COVID-19 SITUATION REPORT NO. 163

Disease Pandemic: COVID-19

Response start date: 30th January, 2020 Outbreak Declared:18th March, 2020

Report date: Monday 8th March, 2021

Prepared by: MOH/ZNPHI/WHO

Correspondence:ims.covid@znphi.co.zm

1. SITUATION UPDATE This week (8th - 14th March) Tases 234 Deaths 8 Recoveries 778

1.1 CURRENT CASE NUMBERS (as of 09:00 hours CAT)

- In the last 24hrs, we recorded **234 new cases**, **8 deaths and 778 recoveries**
- The cumulative number of confirmed COVID-19 cases recorded to date is 82,655 with 1,132 deaths (CFR=1.4%) and 78,721 recoveries (95.2% recovered). Of the total deaths, 624 have been classified as COVID-19 deaths (CFR=0.8%) and 508 as associated deaths. See Annex 1 for definitions
- There are currently **2,802 active cases:** of these, 2,619 (93.5%) cases are under community management and 183 (6.5%) are hospitalised [with 129 (70.5%) on Oxygen therapy and 29 (15.8%) in critical condition];

Global Numbers (Source: JHU) ↑ 116,966,556 Confirmed ↑ 2,595,573 Deaths (2.2% CFR) ↑ 66,224,912 Recoveries Africa Numbers Source: Africa CDC)

3,963,706 Confirmed 105,722 Deaths (2.6% CFR)

2. EPIDEMIOLOGICAL HIGHLIGHTS




Figure 1: COVID-19 confirmed cases by week (N=82,655), deaths (N=1,132) and recoveries (N=78,721) as of 8^{th} March, 2021







Age and sex distribution: Below is the age and sex distribution of confirmed cases and deaths; overall, we have seen a change in the age/sex proportions between the first and second waves




Figure 2: Age and sex distribution of (a) confirmed cases (b) deaths

3. ACTIONS TO DATE

3.1 CO-ORDINATION

Regional/Continental level:

Zambia hosts the Southern Africa Regional Collaborating Centre
of the Africa CDC and has been coordinating the response at
regional level. To date, Southern Africa has recorded
1,855,291 confirmed cases; 57,325 deaths; and 1,724,536
recoveries. Zambia continues to participate in AU meetings to
ensure continued regional and continental trade and strategies to
stop transmission of COVID-19.

National Level:

- The government continues to enforce measures and interventions to control the spread of COVID-19 countrywide as outlined in the Statutory instruments SI21 and SI22 of 2020 on COVID-19 and presidential directives.
- A COVID-19 contingency plan outlining the country's

 COVID-19 preparedness and response activities is available and continues to be regularly updated as the

BACKGROUND

The WHO was alerted of an increase in the number of pneumonia cases of unknown cause detected in Wuhan City, Hubei Province, China. The disease now called Coronavirus Disease 2019 (COVID-19) is caused by a new coronavirus named SARS-CoV-2. The WHO declared the outbreak a PHEIC on 30th January and further declared COVID-19 a pandemic on 12th March. Zambia recorded its first two cases of COVID-19 on 18th March 2020. The first 28 cases in Zambia all had a history of travel to Europe or Asia. Three weeks into the outbreak, cases were noted among people without history of travel but in contact with confirmed cases. By mid-June 2020, cases had been reported in all ten provinces, with Western province being the last to confirm cases of COVID-19. Generalised local person-person transmission is now established throughout the country.

outbreak evolves.







- Technical co-ordinating meetings are held with cooperating partners and other stakeholders. The meetings are chaired by the Director, ZNPHI
- The Incident Management System (IMS) continues to meet at ZNPHI (with a Zoom link provided to ensure social distancing) on Tuesdays and Thursdays. The IMS structure is available at **Annex 2**

3.2 SURVEILLANCE

Active surveillance is ongoing in healthcare facilities, at community level, through contact tracing and at points of entry.

Table 1: Breakdown of confirmed COVID-19 cases, deaths and recoveries reported in the last 24hrs by province

PROVINCE	NUMBERS BY PROVINCE			
	CASES	DEATHS	RECOVERIES	
CENTRAL	0	0	5	
COPPERBELT	44	2	153	
EASTERN	23	0	67	
LUAPULA	33	0	1	
LUSAKA	120	3	405	
MUCHINGA	0	2	0	
NORTHERN	6	0	46	
NORTH-WESTERN	2	1	67	
SOUTHERN	6	0	34	
WESTERN	0	0	0	
TOTAL	234 New Cases	8 Deaths	778 Recoveries	




Figure 3: Categorisation of confirmed cases reported in the last 24hrs







3.4 CLINICAL CASE MANAGEMENT

- ➤ The community management model and admission/discharge criteria for persons who test positive for COVID-19 available at **Annex 3.**
- The revised guidelines for the home management of COVID-19 cases can be accessed here.
- ➤ There are currently 183 COVID-19 patients hospitalised in facilities around the country; of these, 129 are on Oxygen therapy and 29 are in critical condition

Table 2: National distribution of hospitalised COVID-19 patients by province – 8th March, 2021

PROVINCE	TOTAL # OF PATIENTS	ON OXYGEN	CRITICAL
CENTRAL	4	0	0
COPPERBELT	41	24	4
EASTERN	20	14	0
LUAPULA	3	3	0
LUSAKA	82	69	21
MUCHINGA	5	4	1
NORTHERN	7	4	1
NORTH-WESTERN	17	10	2
SOUTHERN	2	0	0
WESTERN	2	1	0
TOTAL	183	129 (71%)	29 (16%)

3.5 LABORATORY AND SAMPLE MANAGEMENT

• Below is a chart showing the number of tests conducted by province vs. the number of confirmed cases and percentage positivity




Figure 4: Number of tests by Province vs # of confirmed cases reported (8th March 2021)







- Polymerase Chain Reaction (RT-PCR), Gene Xpert, Hologic Panther, and Roche Cobas 6800. The currently approved Rapid Diagnostic Tests (RDTs) are Standard Q and Panbio. Testing and diagnostic laboratory facilities are available in all 10 provinces. See **Annex 4** for a list of the currently **designated laboratories**
- In January 2021, the testing strategy was revised from mass testing to a more targeted approach. The revised strategy can be found <u>here</u>.
- Previous week analysis (1st 7th March): 44,167 tests were conducted; 8.8% tested positive for SARS-CoV-2) compared to 35,877 tests the week before last (11.2% positivity).
- Current week analysis (8th 14th March): In the last 24 hrs, 3,098 tests were conducted (7.6% positivity).
- To date, a total of **1,134,704 tests** have been conducted, with a cumulative **82,655 confirmed positive** (7.3% positivity rate) for SARS-CoV-2. The testing coverage is **66,747 per 1,000,000 population**




Figure 5: Daily number of tests vs % of positive results recorded (past month)







ANNEX 1: CORONAVIRUS DISEASE 2019 (COVID-19) CASE DEFINITIONS

1. Suspect case:

A. Patient with acute respiratory infection (fever and at least one sign/symptom of respiratory disease e.g. cough, shortness of breath), AND with no other aetiology that fully explains the clinical presentation AND a history of travel to or residence in a country/area or territory reporting local transmission of COVID-19 during the 14 days prior to symptom onset,

OR

B. Patient with any acute respiratory illness AND having been in contact with a confirmed or probable COVID-19 case in the last 14 days prior to symptom onset,

OR


- C. Patient with severe acute respiratory infection (fever and at least one sign/symptom of respiratory disease e.g. cough, shortness of breath), AND requiring hospitalization AND with no other aetiology that fully explains the clinical presentation
- **2. Probable case:** A suspect case for whom testing for COVID-19 is inconclusive or is tested positive using a pan-coronavirus assay and without laboratory evidence of other respiratory pathogens.
- 3. Confirmed case: A person with laboratory confirmation of COVID-19 infection, irrespective of clinical signs and symptoms.
- **4. COVID-19 Death**: COVID-19 death is defined for surveillance purposes as a death resulting from a clinically compatible illness in a probable or confirmed COVID-19 case, unless there is a clear alternative cause of death that cannot be related to COVID disease (e.g. trauma). There should be no period of complete recovery between the illness and death.
- 5. COVID-19 Associated Death: a death of an individual in whom COVID-19 has been detected but it is not the primary cause of death
- **6.** COVID-19 Unclassified Death: a death of an individual in whom COVID-19 has been detected but the cause of death is yet to be classified as either a COVID-19 death or associated death following expert review
- 7. Contact: a person who experienced any one of the following exposures during the 2 days before and the 14 days after the onset of symptoms of a probable or confirmed case: a. Face-to-face contact with a probable or confirmed case within 1 meter and for more than 15 minutes; b. Direct physical contact with a probable or confirmed case; c. Direct care for a patient with probable or confirmed COVID-19 disease without using proper personal protective equipment; OR d. Other situations as indicated by local risk assessments.







ANNEX 2: NATIONAL LEVEL INCIDENT MANAGEMENT SYSTEM FOR THE COVID-19 PREPAREDNESS RESPONSE











ANNEX 3: CASE MANAGEMENT MODELS

Community Model for COVID-19 Response for SARS-CoV2 Positive Patients



Admission and Discharge Criteria for Covid-19 Patients









ANNEX 4: LIST OF DESIGNATED COVID-19 DIAGNOSTIC LABORATORIES

PROVINCE	INSTITUTION	TESTING PLATFORM(S)
Central	Kabwe General Hospital	Gene Xpert
	TDRC, Ndola	RT-PCR
Copperbelt	Arthur Davison Children's Hospital	Cobas 6800
Eastern	Chipata General Hospital	Gene Xpert
Luapula	Mansa General Hospital	Gene Xpert
_	ZNS Luamfumu	Gene Xpert
Lusaka	UTH, Levy (Virology, ACOE, PCOE), Lusaka	RT-PCR; Gene Xpert; Cobas 6800; Panther; RDT
	UNZA – SVM, Lusaka	RT-PCR
	CIDRZ, Lusaka	RT-PCR
	CHAZ, Lusaka	RT PCR
	Lancet	RT PCR
	Mtendere Mission Hospital, Chirundu	Gene Xpert
	MedLand Hospital, Lusaka	RT PCR
	Victoria Hospital	RT PCR
	Zambia Air Force Hospital, Lusaka	Gene Xpert
	ZNPHRL, Lusaka	RT PCR
Muchinga	Chinsali General Hospital	Gene Xpert & PCR
Northern	Kasama General Hospital	Gene Xpert
	Solwezi General Hospital, Solwezi	Panther
North-western	Kansanshi Mine Hospital (Mary Begg), Solwezi	Gene Xpert
	Macha Research Trust	RT-PCR
Southern	Livingstone Teaching Hospital	Gene Xpert
Western	Lewanika General Hospital	Gene Xpert